CRC Industries UK Ltd.
Castlefield Industial Estate, Wylds Rd, Bridgwater,
Somerset, UK, TA64DD
Tel.: (+44)(0)1278 727200 Fax: (+44)(0)1278



Tel.: (+44)(0)1278 727200 Fax: (+44)(0)1278 425644

Material Safety Data Sheet Regulation EC No 1907/2006 Art.31

 Productname :
 PUR 400
 Creationdate :
 15.02.08

 Ref.Nr.:
 UK10004-3-150208
 Replaces:
 06.04.07

### 1. IDENTIFICATION OF PRODUCT AND COMPANY

**Productname:** PUR 400

Aerosol

**Application**: Release Agents

CRC Industries UK Ltd.

Castlefield Industial Estate, Wylds Rd,

Bridgwater, Somerset, UK, TA64DD

Tel.: (+44)(0)1278 727200 Fax: (+44)(0)1278 425644 E-mail: hse.uk@crcind.com

In case of emergency: (+44)(0)1278 727200

Subsidiaries		Tel	Fax	
CRC Industries Europe	Touwslagerstraat 1 9240 Zele Belgium	(+32) (0) 52 / 45 60 11	(+32) (0) 52 / 45 00 34	
CRC Industries Finland	Asemanrinne 13, 08500 Lohja AS	(+358)(0)19/32921	(+358)(0)19/383676	
CRC Industries France	12, Bld des Martyrs de Chateaubriant F-95102 Argenteuil Cédex	(+33)(0)1/34112000	(+33)(0)1/34110996	
CRC Industries Deutschland	Südring 9, 76473 Iffezheim	(+49)(0)7229/3030	(+49)(0)7229/303266	
CRC Industries Iberia	Gremio del cuero S/N, 40195 Segovia	(+34)921/427546	(+34)921/436270	
CRC Industries Sweden	Kryptongatan 14, 43153 Mölndal	(+46)(0)31/7068480	(+46)(0)31/273991	

### 2. HAZARD IDENTIFICATION

**Health and Safety:** Extremely Flammable

Other hazards: Pressurized container: protect from sunlight and

do not expose to temperatures exceeding 50°C.

# 3. COMPOSITION AND INFORMATION ON COMPONENTS

Hazardous ingredient	CAS-nr	<b>EINECS</b>	w/w %	symbol	R-phrases*	Notes
Naphtha (petroleum),						

hydrotreated light (benzene<0.1%)	64742-49-0	265-151-9	1-5	Xn,N	11-38-51/53-65-67	В,Р
Hydrocarbons, C3-4-rich, petroleum distillate Petroleumgas (1,3-butadiene < 0.1%)	68512-91-4	270-990-9	60-100	F+	12	K
Explanation notes						
B: substance with national established workplace exposure limit K: not classified as carcinogen, less than 0.1%						
w/w 1,3-butadiene (Einecs-nr. 203-450-8)						
P: not classified as carcinogen, less than 0.1% w/w benzene (Einecs-nr. 200-753-7)						

(\* Explanation risk-phrases : see chapter 16)

## 4. FIRST AID MEASURES

General Advice: The usual precautions for handling chemicals

should be observed

If any symptoms should occur, seek medical

advice.

**Contact with eyes**: If substance has got into eyes, immediately wash

out with plenty of water

**Contact with skin**: Wash with water and soap.

Inhalation :Fresh air, keep warm and at rest.Ingestion :Ingestion is unlikely to occur

If swallowed accidentally, do not induce vomiting

and seek medical advice.

### 5. FIRE-FIGHTING MEASURES

Flash point (without propellant): not applicable

Explosion limits: upper limit: not available

lower limit: not available

**Extinguishing media:** foam, carbon dioxide or dry agent

**Fire-fighting procedures**: Keep container(s) exposed to fire cool, by

spraying with water

**Unusual exposure hazard**: Aerosols may explode if heated above 50°C

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Shut off all ignition sources

Ensure adequate ventilation

**Environmental precautions**: Do not allow to enter public sewers and

watercourses

Cleaning methods: Absorb spillage in suitable inert material

## 7. HANDLING AND STORAGE

Handling procedures: Use only in well ventilated areas

> Do not pierce or burn aerosols, even after use. Do not spray on a naked flame or incandescent

material.

Do not breathe aerosols or vapours. Avoid contact with skin and eyes.

Storage procedures: Pressurized container: protect from sunlight and

> do not expose to temperatures exceeding 50°C. Keep in a cool, dry, well ventilated place

Keep out of reach of children.

# 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Control procedures: Ensure adequate ventilation

Keep away from heat and sources of ignition

Personal protection: It is advisable to take precautions to avoid contact

with skin and eyes when handling the product.

Use only in well ventilated areas

inhalation: In case of insufficient ventilation, wear suitable

respiratory equipment.

hands and skin: Wear suitable protective gloves

eyes: Wear safety goggles.

# 9. PHYSICAL AND CHEMICAL PROPERTIES (for aerosols without propellant)

Apperance: physical state: propane/butane propelled liquid

> colour: colourless odour: solvent

Boiling point/range: not available

Relative density: 0.843 g/cm3 (@ 20°C)

pH: not applicable not available Vapour pressure: Relative vapour density: not available Solubility in water: Insoluble in water Flash point: not applicable Auto-ignition: not available Viscosity: not available

#### 10. STABILITY AND REACTIVITY

**Evaporation rate:** 

Conditions to be avoided: Pressurized container: protect from sunlight and

not available

do not expose to temperatures exceeding 50°C. Keep away from heat and sources of ignition No hazardous reactions known if used for its

intended purpose

Materials to be avoided: Strong oxidising agent

Hazardous decomposition compounds: carbon oxides

## 11. TOXICOLOGICAL INFORMATION

Inhalation: Inhalation of solvent vapours may give rise to

nausea, headaches and dizziness

**Ingestion**: Ingestion is unlikely to occur

After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical

pneumonia.

**Skin contact**: Prolonged skin contact will result in defatting of

the skin

Other information: No experimental data available

12. ECOLOGICAL INFORMATION

No experimental data available

13. WASTE DISPOSAL

National regulations: Disposal should be in accordance with local, state

or national legislation

14. TRANSPORT

**UN-number**: 1950

Road/Rail - ADR/RID: UN1950 Aerosols Class: 2, PG: NA, Class code:

5F, Label: 2.1

Sea - IMDG: UN1950 Aerosols Ltd Qty Class: 2.1, PG: NA,

Label: 2.1

EmS F-D,S-U

Air - IATA/ICAO : UN1950 Aerosols, flammable Class : 2.1, PG :

NA, Label: RFG

 Packing instr. LQ
 Y203

 PAX
 203

 CAO
 203

15. REGULATORY INFORMATION

Warning symbol(s): F+

Risk-phrase(s): R12: Extremely flammable.

R52/53: Harmful to aquatic organisms, may cause

long-term adverse effects in the aquatic

environment.

**Safety-phrase(s)**: S2: Keep out of the reach of children.

S16: Keep away from sources of ignition - No

smoking.

S23: Do not breathe spray.

S51: Use only in well-ventilated areas.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding

50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any

incandescent material.

## 16. OTHER INFORMATION

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

\*Explanation risk-phrases:

R11: Highly flammable. R12: Extremely flammable. R38: Irritating to skin.

R51/53: Toxic to aquatic organisms, may cause

long-term adverse effects in the aquatic

environment.

This Material Safety Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Material Safety Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.